-	27	(((((((sales with database) and "home page") and function) and login) and (updat\$3 or modif\$3 or valid\$3)) and link\$3) and format)	USPAT; US-PGPUB;	2002/08/26 06:11
		and (sales\$3 with database)	EPO; JPO;	
			DERWENT,	
			IBM_TDB	
-	26	((((((((sales with database) and "home page") and function) and	USPAT;	2002/08/26 06:12
	1	login) and (updat\$3 or modif\$3 or valid\$3)) and link\$3) and format)	US-PGPUB;	
		and (sales\$3 with database)) not (((((((sales with database) and	ЕРО; ЈРО;	
	•	"home page") and function) and login) and (updat\$3 or modif\$3 or	DERWENT;	
		valid\$3)) and link\$3) and format) and (sales\$3 near database))	IBM_TDB	
-	4	(administrative near1 tool) and ((updat\$3 with database) and	USPAT;	2003/02/13 15:13
ļ		broker) and (user with updat\$3)	ЕРО; ЛРО;	
			DERWENT;	
	121	(sale near data) and (user with updat\$3)	IBM_TDB USPAT;	2003/02/13 15:15
-	121	(sale hear data) and (user with updats3)	EPO; JPO;	2003/02/13 13.13
			DERWENT;	
			IBM_TDB	
_	173	"point of sale" or "point -of-sale"	USPAT;	2003/02/13 15:15
1		point of bank of bank	EPO; JPO;	2003/02/13 13:13
			DERWENT;	
	ļ		IBM_TDB	
_	4444	"point of sale" or "point-of-sale"	USPĀT;	2003/02/13 15:16
			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	11	((sale near data) and (user with updat\$3)) and ("point of sale" or	USPAT;	2003/02/14 09:41
		"point-of-sale")	ЕРО; ЛРО;	
			DERWENT;	
	,	(((-1	IBM_TDB	2002/02/12 15 21
-	1	(((sale near data) and (user with updat\$3)) and ("point of sale" or	USPAT;	2003/02/13 15:21
		"point-of-sale")) and (administrat\$4 with tool)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	(((((sale near data) and (user with updat\$3)) and ("point of sale" or	USPAT;	2003/02/13 15:23
		"point-of-sale")) and (administrat\$4 with tool)) and (upload\$3 or	US-PGPUB;	
		download\$3)	ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
-	1	((((sale near data) and (user with updat\$3)) and ("point of sale" or	USPAT;	2003/02/13 15:24
		"point-of-sale")) and (administrat\$4 with tool)) and (upload\$3)	US-PGPUB;	
			ЕРО; ЛРО;	
		•	DERWENT;	
_	1	(((((sale near data) and (user with updat\$3)) and ("point of sale" or	IBM_TDB	2002/02/12 15:21
	1	"point-of-sale")) and (administrat\$4 with tool)) and (upload\$3)) and	USPAT; US-PGPUB;	2003/02/13 15:31
		((sav\$3 or stor\$3) near (file or data))	EPO; JPO;	
		(() () () () () () () () () (DERWENT;	
			IBM_TDB	
-	1	((((((sale near data) and (user with updat\$3)) and ("point of sale" or	USPAT;	2003/02/13 15:32
		"point-of-sale")) and (administrat\$4 with tool)) and (upload\$3)) and	US-PGPUB;	
		((sav\$3 or stor\$3) near (file or data))) and (web or page)	ЕРО; ЛРО;	
			DERWENT,	
			IBM_TDB	
-	1	(((((((sale near data) and (user with updat\$3)) and ("point of sale"	USPAT;	2003/02/13 15:33
		or "point-of-sale")) and (administrat\$4 with tool)) and (upload\$3))	US-PGPUB;	
		and ((sav\$3 or stor\$3) near (file or data))) and (web or page)) and	EPO; JPO;	
		login	DERWENT; IBM_TDB	
L	<u></u> l		מתו"ואומי	

-	1	(((((((((sale near data) and (user with updat\$3)) and ("point of sale"	USPAT;	2003/02/13 15:33
		or "point-of-sale")) and (administrat\$4 with tool)) and (upload\$3))	US-PGPUB;	
		and ((sav\$3 or stor\$3) near (file or data))) and (web or page)) and	EPO; JPO; DERWENT;	
	1	login) and report		
	1	(((((((cale near date) and (year with under\$2)) and ("naint of cale"	IBM_TDB USPAT;	2003/02/13 15:34
-	\ .	((((((((((((((((((((((((((((((((((((((US-PGPUB;	2003/02/13 13.34
	j	and ((sav\$3 or stor\$3) near (file or data))) and (web or page)) and	EPO; ЛРО;	
		login) and report) and modul\$3	DERWENT;	
	1	login) and report) and modules	IBM TDB	
l _	0	((((((((((((((((((((((((((((((((((((((USPAT;	2003/02/13 15:37
-	"	sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	2003/02/13 13:37
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or	ЕРО; ЛРО;	
		page)) and login) and report) and modul\$3) and (agent\$3 near	DERWENT;	
		sal\$3)	IBM TDB	
-	1		USPAT;	2003/02/13 15:42
		sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or	ЕРО, ЛРО,	
		page)) and login) and report) and modul\$3) and (agent\$3)	DERWENT;	
			IBM_TDB	
-	1	1 . 11	USPAT;	2003/02/13 15:58
		sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or	ЕРО; ЈРО;	
1		page)) and login) and report) and modul\$3) and (agent\$3)) and	DERWENT;	
	,	access\$3	IBM_TDB	2002/02/12 16 16
-	1	((((((((((((((((((((((((((((((((((((((USPAT;	2003/02/13 16:16
		sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or page)) and login) and report) and modul\$3) and (agent\$3)) and	EPO; JPO; DERWENT;	
		access\$3) and updat\$3	IBM_TDB	
_	. 1	((((((((((((((((((((((((((((((((((((((USPAT;	2003/02/13 17:06
	1	sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	2003/02/13 17:00
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or	ЕРО; ЈРО;	
		page)) and login) and report) and modul\$3) and (agent\$3)) and	DERWENT,	
		access\$3) and updat\$3) and (format\$2)	IBM_TDB	
-	1	((((((((((((((((((((((((((((((((((((((USPAT;	2003/02/13 17:58
	İ	sale" or "point-of-sale")) and (administrat\$4 with tool)) and	US-PGPUB;	
		(upload\$3)) and ((sav\$3 or stor\$3) near (file or data))) and (web or	EPO; JPO;	
		page)) and login) and report) and modul\$3) and (agent\$3)) and	DERWENT;	
		access\$3) and updat\$3) and (format\$2)) and (access\$3 near	IBM_TDB	
	_	database)	TIODATE	2002/02/12 10 10
· .	0	6067525.pn. and HTML	USPAT; US-PGPUB;	2003/02/13 18:10
	:		EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	16	sal\$3 and ((servlet or servelet or applet) near module)	USPAT;	2003/02/14 09:17
		(Caracas and Caracas and Carac	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	10	(((USPAT;	2003/02/14 09:18
		database and administra\$4	US-PGPUB;	
			EPO; JPO;	
]]		DERWENT;	
	3	((col\$3 and ((correlat or correlat or complet) reserved at all all all all all all all all all	IBM_TDB	2002/02/14 00 15
-	3	((sal\$3 and ((servlet or servelet or applet) near module)) and database and administra\$4) and upload\$3	USPAT; US-PGPUB;	2003/02/14 09:17
		datavase and administras4) and uproads5	оз-гогов; ЕРО; ЛРО;	į
			DERWENT;	
			IBM_TDB	
L	<u>. </u>		11/11/	

	<u> </u>		·	
-	4	(sal\$3 and ((servlet or servelet or applet) near module)) and	USPAT;	2003/02/14 09:18
		upload\$3	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	70	((servlet or servelet or applet) near module)	USPAT;	2003/02/14 09:21
			US-PGPUB;	
			ЕРО, ЛРО;	İ
			DERWENT;	
			IBM_TDB	
	14	(((servlet or servelet or applet) near module)) and upload\$3	USPAT;	2003/02/14 09:18
	1	(((Service of Service of applet) feat module)) and aproachs	US-PGPUB;	2003/02/11/07:10
			ЕРО; ЛРО;	
			DERWENT;	
		////	IBM_TDB	2002/02/14 00:18
-	8	((((servlet or servelet or applet) near module)) and upload\$3) and	USPAT;	2003/02/14 09:18
		database and administra\$4	US-PGPUB;	
			ЕРО; ЈРО;	
			DERWENT;	
			IBM_TDB	
-	3	(((((servlet or servelet or applet) near module)) and upload\$3) and	USPAT;	2003/02/14 09:18
		database and administra\$4) and sal\$3	US-PGPUB;	
			ЕРО; ЛРО;	
	1		DERWENT;	
			IBM_TDB	
_	1	((((servlet or servelet or applet) near module)) and upload\$3) and	USPĀT;	2003/02/14 09:20
		database and administra\$4	ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
_	655	database with upload\$3	USPAT;	2003/02/14 09:21
		dimense vill aproduce	ЕРО; ЈРО;	2005/02/11/05/21
	;		DERWENT;	
			IBM_TDB	
_	190	(database with upload\$3) and sal\$3	USPAT;	2003/02/14 09:21
-	170	(database with appoints) and saiss	ЕРО; ЛРО;	2003/02/14 07.21
			DERWENT;	
	ا ہ	unload\$2 and ((correlat or correlat or applet) near1 modula)	IBM_TDB	2002/02/14 11:02
-	4	upload\$3 and ((servlet or servelet or applet) near1 module)	USPAT;	2003/02/14 11:03
			ЕРО; ЛРО;	
			DERWENT;	
	.		IBM_TDB	2002/02/14 00 20
-	1	upload\$3 and "servlet module"	USPAT;	2003/02/14 09:30
-			ЕРО; ЛРО;	
			DERWENT;	
			IBM_TDB	
-	45	upload\$3 with (servlet or servelet or applet)	USPAT;	2003/02/14 09:30
			ЕРО; ЛРО;	
]		DERWENT;	
			IBM_TDB	
-	10	(upload\$3 with (servlet or servelet or applet)) and (sales\$6)	USPAT;	2003/02/14 09:31
			ЕРО; ЈРО;	
			DERWENT,	
			IBM_TDB	
-	0	(sale and (upload\$3)) and "servlet module"	USPAT;	2003/02/14 10:05
			ЕРО; ЛРО;	
]	[DERWENT;]
1			IBM_TDB	
_	653	sale\$3 and administr\$6 and ((web or page) near link\$3)	USPAT;	2003/02/14 11:26
		(or habe)	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM TDB	İ
L			מעו ואום	

-	164	(sale\$3 and administr\$6 and ((web or page) near link\$3)) and	USPAT;	2003/02/14 11:27
	1	administrative and login	US-PGPUB,	
			ЕРО; ЛРО;	
	j		DERWENT,	
			IBM_TDB	
-	78	((sale\$3 and administr\$6 and ((web or page) near link\$3)) and	USPAT;	2003/02/14 11:38
		administrative and login) and updat\$3 and upload\$3	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	3	(((sale\$3 and administr\$6 and ((web or page) near link\$3)) and	USPAT;	2003/02/14 11:31
		administrative and login) and updat\$3 and upload\$3) and (link\$3	EPO; JPO;	
		near select\$3)	DERWENT;	
	·		IBM_TDB	
-	15	(((sale\$3 and administr\$6 and ((web or page) near link\$3)) and	USPAT;	2003/02/14 14:16
		administrative and login) and updat\$3 and upload\$3) and ((web or	ЕРО; ЛРО;	
		page) near select\$3)	DERWENT;	
			IBM_TDB	
-	2	(sales with database) and administrative and web and (broker\$2	USPAT;	2003/02/14 15:18
		with link\$3)	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	